

Name of Bird <i>Common EIDER</i>	Year <i>1967</i>
-------------------------------------	---------------------

Locality of Nest *Puffin Island*
St. Paul Harbor

Latitude *57°45'30"* Longitude *152°28'*

Altitude..... Direction slope faces *SE*.....

Nest *3*.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other *shoreline grass*.....

List abundant plants:

beach ryegrass
can parsnip
wild celery
andrea
6 eggs.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird PACIFIC ELDER DUCK | Year 1963

Locality of Nest PUFFIN ISLAND ST. PAUL HARBOR-KODIAK

Latitude - Longitude -

Altitude 03' Direction slope faces SE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
- Moist tundra Rocky Tundra Field Marsh

Other BEACH LINE

List abundant plants:

Angelica
BEACH RYE GRASS

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird SOMATERIA mollissima Year 6/30/64
COM. EIDER

Locality Nest LOWER KASHUNUK R. STUDY AREA

Latitude _____ Longitude _____

Altitude SEA LEVEL Direction slope faces WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other TALL GRASS

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

~~On ground, under tree, brush or shrub~~

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name of Bird Common Spectacled Eider Year 1966

Locality of Nest Kolomak River

Latitude 61° 43' Longitude 165° 45'

Altitude Sea level Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Carex spp.
Elymus spp.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 0.....

No. of unhatched eggs 6.....

Cause of non-hatching of eggs. Destroyed by predator, probably jaegers.....

No. of chicks that left nest 0.....

Cause of death of chicks not leaving nest.....

Name of Bird <i>Common Eider</i>	Year <i>1966</i>
--	---------------------

Locality
of
Nest *Kolonak River*

Latitude *61° 43'* Longitude *165° 45'*

Altitude *Sea level* Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Carex spp.

Elymus spp.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Common eider Year 1966

Locality of Nest St. Matthew Island
3 mi NW of NW end of Great

Latitude 60°23' Longitude 172°40' ^{look x}

Altitude 30 ft Direction slope faces level

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Very low Empetrum Carex
much bare soil

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Common Eider Year 1961

Locality of Nest Homer spit, by road, Homer, Alaska

Latitude _____ Longitude _____

Altitude 20 Direction slope faces ?

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other Beach^{open} (driftwood, beach grass, etc.)

List abundant plants: beach grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

Name of Bird Common Eider | Year 1961

Locality of Nest Lower Kashonuk

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Tidal Marsh

Other _____

List abundant plants:

Grass - Beach Rye

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Common Eider (Pacific) Year 1963

Locality of Nest Jgiak Bay 3

Latitude 61°44' Longitude 165°48'

Altitude..... Direction slope faces.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
~~Moist~~ ^{mesic} Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

1 Nest in a depression in a slight moss-Empetrum tussock. 15-20' from small pond; 30' from larger pond.

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Common Eiders | Year 1961

Locality of Nest Lower Kashumuk R.

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Tidal Marsh

Other _____

List abundant plants:

Grass - Beach Rye

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Common Eider | Year 1961

Locality of Nest Lower Kashonuk R.

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Tidal Marsh

Other _____

List abundant plants:

Bead-rye-Grass

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Common Eider | Year 1961

Locality of Nest Lower Kaskinuk Riv.

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Grass-Sedge

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name of Bird Common Eider | Year 1961

Locality of Nest Lower Kaskawishk Riv.

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

grass-sedge

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Common Eider | Year 1960
Somateria mollissima

Locality of Nest Murder Point, Attu Is.

Latitude 52° 50' N Longitude 173° 10' E

Altitude 5 ft Direction slope faces South

Nest 5 ft ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants: Grass, moss

nest lining dry grass and down.

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Somateria mollissima Year 1960

Locality of Nest Casco Pt., Attu.

Latitude 52°50'N Longitude 173°10'E

Altitude 2 Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other Grass

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name of Bird Somateria mollissima Year 1960

Locality of Nest Murder Point, Attu.

Latitude 52°50' N Longitude 173°10' E

Altitude 640 ft. Direction slope faces on ridge

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants: Grass, moss

nest Lining Dry grass
and down.

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Species: *Common Eider*

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Averill Thayer
Kenai, Alaska*

FOR ONE VISIT TO ~~A COLONY OF~~ BIRDS

Date of visit: *June 13, 1960*

Locality: *Augustine Island*

Description of habitat: *isle volcanic
rock + ash. shore very
rocky.
some sand dunes covered
with grass sp??*

Description of nests and nest sites: *nests beach
grass lined with down.*

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
1 Egg	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
2 Eggs	2E - 1Y	2E - 2Y	2E - 3Y		
3 Eggs	3E - 1Y	3E - 2Y			
4 Eggs	4E - 1Y				

*19 eggs
2*

NO. IN COLONY

Occupied nests *13*

Pairs of birds

Use back for remarks

*5 Eggs
3*
*6 Eggs
6*

