

# 1

Name of Bird ORANGE-CROD WARBLER Year 1966

Locality of Nest COYOC. ALASKA

Latitude... 60 ..... Longitude... 151 .....

Altitude... 100 ..... Direction slope faces.....

Nest... in side of natural depression ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

MOSS  
FIREWEED  
HIGH BUSH CRANBERRY  
SPRUCE, ALDER

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub  1 small shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 4 .....

No. of unhatched eggs..... 2 .....

Cause of non-hatching of eggs. no. embryonic development .....

No. of chicks that left nest..... 2 .....

Cause of death of chicks not leaving nest.....

..... UNKNOWN .....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

UNISORT ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: MARY. A. SMITH  
CODICE ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
19	JUNE	6		F	10:00 AM
26	-	2	4	F	11:05 AM
30	-	2	2	F	7:30 PM
5	JULY	2			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

BIRD USED IDENTICAL NESTING SPOT AS IN 1965 perhaps a few new grasses in nest.

BURROUGHS CORPORATION - TODD DIVISION - 1

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1



Name of Bird orange-cwmd.warbler Year 1961  
Bird Vermivora celata

Locality woodpatch across Davis Hwy.  
Nest from Whitney Station

Latitude 61°15'15" Longitude 149°46'30"

Altitude 200 Direction slope faces north

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other airfield, roads, & r.r. near

List abundant plants:

quaking aspen, Populus tremuloides

prickly rose, Rosa aciculata

paper birch, Betula papyrifera

white spruce, Picea glauca

fireweed, Epilobium angustifolia

horsetail, Equisetum sp.

kinnikinnick, Artostaphylos

POSITION OF NEST uva-ursi

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest presumably 5

Cause of death of chicks not leaving nest --

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 4  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **J. Vincent Hoeman  
Ft. Richardson, Alaska**

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
2	July	0	5	female	0830
5	July	0	5	no	1530

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT  
309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

UNISORT ANALYSIS CARD STD. FORM Y 12

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

#5

Name of Bird ORANGE-CRD WARBLER Year 1966

Locality of Nest COHOE, ALASKA

Latitude... 60 ..... Longitude... 151 .....

Altitude... 1000 ..... Direction slope faces.....

Nest... 1 .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:  
PICAG MARIANA  
MOSS  
LINGENBERRY.

POSITION OF NEST INSIDE OF SPAGNUM MOSS HUMPS

In tree, brush or shrub

On ground, under tree, brush or shrub  UNDEC DEAD SMALL POPLAR.

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 4 .....

No. of unhatched eggs... UNKNOWN .....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest... 4 .....

Cause of death of chicks not leaving nest.....

.....









2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT  
 ANALYSIS CARD  
 BURROUGHS CORP.  
 OPERATOR - TODD DIVISION - L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY A. SMITH  
COHOE, ALASKA

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
26	JUNE		4	F	11:15 AM
27	JULY		4		7:30 p.m.
28		✓	—		
29					
30					
31					
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 dead young at bottom of nest

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT



# 2

Name of Bird ORAWEE-CRD WARBLER

Year 1966

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 80 Direction slope faces

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other

List abundant plants:

SPAGNUM - MOSS  
DEAD + LIVING GRASS  
LABRADOR TEA  
LINGENBERRY  
SALIX (SP)  
WHITE SPRUCE

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub  TUFT of GRASS

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

UNKNOWN

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT ANTLERES CARD

**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska

Name and address of observer **MARY. A. SMITH**  
**COHOE, ALASKA**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
25	JUNE	5		F	7:05 AM
27	-	5		F	7:45 PM
2	JULY		5	F	7:30 AM
5	-		4	F	7:15 AM
16	-				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301

1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird ORANGE-CROWNED WARBLER Year 1962

Locality of Nest COHOGE

Latitude 61° Longitude 151°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

LINGENBERRY  
SPAGNUM MOSS

LICHEN

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs UNKNOWN

No. of chicks that left nest 4

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird ORANGE-CROWNED WARBLER Year 1963

Locality of Nest COHOE

Latitude 60 Longitude 151

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

MOSS  
LICHENS  
LINGENBERRY  
LABRADOR TEA

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub  in MOSS HUMMOCK
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 5

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird ORANGE-CROWNED WARBLER Year 1963

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

WILLOW  
LABRADOR TEA  
LINGENBERRY  
MOSS

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 5

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **MARY. A. SMITH  
COHOE. ALASKA**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
21	JUNE		5	F	8:13 A-M
24	"		5		2:50 P.M
28	"		5		8:40 A.M
29	"				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*young apparent. in vicinity*

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name Orange-crowned Warbler  
of Vermivora celata 1960  
Bird

Locality Bald Mountain Area  
of Homer, Alaska  
Nest

Latitude 59°44' Longitude 151°18'

Altitude 1250 Direction slope faces South

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Spruce  
Willow

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 1

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Orange-crowned Warbler  
Vermivora celata 1960

Locality of Nest Miller's Landing  
Homer Alaska

Latitude 59°40½' Longitude 151°25'

Altitude 150' Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Pasture

List abundant plants:

Birch  
Alder  
Wild grass

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 3 or 4 ?

No. of unhatched eggs 0 or 1 ?

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 0

Cause of death of chicks not leaving

Nest The nest was empty -  
a hole in the bottom  
maybe a mouse hole.

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **Bruce H. Anderson**  
**Star Rt. Homer, Alaska**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
20	June	4w			8:00 p.m.
22	"	4			7:00 a.m.
24	"	4			7:00 a.m.
26	"	4w			4:30 p.m.
29	"	4w			5:30 p.m.
30	"	1	3		5:00 p.m.
2	July	-	-		5:30 p.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT  
 309 1  
 308 7  
 307 4  
 306 2  
 305 1  
 304 7  
 303 4  
 302 2  
 301 1



Name of Bird ORANGE-CR. WARBLER Year 1963

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other

List abundant plants:

DWARF WILLOW  
SPAGNUM MOSS  
LABRADOR TEA  
LINGENBERRY  
CROWBERRY  
FIREWEED

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs 5

Cause of non-hatching of eggs NEST

ABANDONED

No. of chicks that left nest

Cause of death of chicks not leaving nest



Name of Bird ORANGE-CROWNED WARBLER Year 1968

Locality of Nest KASLOF, ALASKA

Latitude 157 Longitude 61

Altitude 120 Direction slope faces N.W.

Nest .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other LAKE.....

List abundant plants:

WILLOW  
CRAWBERRY  
SPAGNUM MOSS

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub  SMALL WILLOW
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... NONE.....

No. of unhatched eggs..... 5.....

Cause of non-hatching of eggs... taken by...

..... predator.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT  
**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska  
 Name and address of observer MARY. A. MILLER  
KASLOF, ALASKA.

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
5	JUNE	5		F	11:25 AM
8	✓	5			9:55 AM
15	✓	————			

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
EGGS GONE -

1 201 2 202 4 203 7 204 1 205 2 206 4 207 7 208 1 209 2 210 4 211 7 212 1 213 2 214 4 215 7 216 1 217 2 218 4 219 7 220 1 221 2 222 4 223 7 224 1 225 2 226 4 227

UNISORT  
 309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

Name of Bird ORANGE-CROWNED WARBLER Year 1964

Locality of Nest COHOE

Latitude... 60 ..... Longitude... 152 .....

Altitude... 80 ..... Direction slope faces.....

Nest... 0 .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

L. groenlandicum  
B. glandulifera  
low bush cranberry  
spaghnum moss

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub  moss hummock

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 5 .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest... NONE .....

Cause of death of chicks not leaving nest... loss .....

... of parent? .....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT AN INTELLECTUALS CARD

**ALASKA NEST RECORD CARD**

University of Alaska, College, Alaska

Name and address of observer **MARY A. SMITH**  
**COHOE, ALASKA**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
22	JUNE	5		F	8:43 A.M.
26	"	5		F	7:20 P.M.
2	JULY	1	4		1:15 P.M.
8	"		5 DEAD YOUNG -		

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
**YOUNG DIED SOON AFTER HATCHING -**

309 308 307 306 305 304 303 302 301  
1 2 4 7 1 2 4 7 1

UNISORT

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227



Name of Bird ORANGE-CROWNED WARBLER Year 1960

Locality of Nest Cohoe Beach

Latitude 60° 20' Longitude 151° 20'

Altitude 54 Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other nest in mound of sphagnum moss

List abundant plants:

spirea

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 6

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs ~~loss by predator~~

No. of chicks that left nest NONE

Cause of death of chicks not leaving

Nest loss by predator



Name of Bird ORANGE-CROWNED WARBLER Year 1960

Locality of Nest Cohoe

Latitude 60° 20' Longitude 151° 20'

Altitude 80 Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Labrador Tea Dwarf willow  
monberry & birch  
Lingonberry native grass  
Lupine

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 2

Cause of death of chicks not leaving \_\_\_\_\_

Nest UNKNOWN





Name of Bird ORANGE CROWNED WARBLER Year 1960

Locality of Nest 20 MI. EAST OF HONOLULU

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 60 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Bluffs on beach-side

List abundant plants:

Alder  
Alderberries' bushes  
Flowers  
Grass  
Berry shrubs  
Bushes

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird ORANGE-CROWNED WARBLER Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

SPAGHUM MOSS  
LICHEN  
MOSSBERRY  
CRANBERRY  
PIGGBERRY  
DWARF POPLAR

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 4 out of 5

No. of unhatched eggs NONE

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4 out of 5

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird ORANGE-CROWNED WARBLER Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

- SPAGHUM MOSS  
CRANBERRY.  
DWARF BIRCH  
DWARF WILLOW

POSITION OF NEST

- In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1.

Cause of non-hatching of eggs UNKNOWN

No. of chicks that left nest 4.

Cause of death of chicks not leaving nest \_\_\_\_\_





#1

Name of Bird ORANGE-CROWNED WARBLER Year 1965

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 80 Direction slope faces

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other

List abundant plants:

BIRCH-  
COTTONWOOD.  
VIBURNUM  
LUPINUS (sp)  
E. angustifolium  
ferns (sp)

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

4 27  
 2 26  
 1 25  
 7 24  
 4 23  
 2 22  
 1 21  
 7 20  
 4 19  
 2 18  
 1 17  
 7 16  
 4 15  
 2 14  
 1 13  
 7 12  
 4 11  
 2 10  
 1 9  
 7 8  
 4 7  
 2 6  
 1 5  
 7 4  
 4 3  
 2 2  
 1 1

UNISORT AND LENSES CARD

**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska

Name and address of observer MARY. A. SMITH  
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
24	JUNE	4		F	11:55 A.M.
30	"	4		F	12:20 P.M.
5	JULY		4	F	1:23 P.M.
14	"		4		1:30 P.M.
13	"		<del>4</del>		7:45 P.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT



Name ORANGE-CROWNED Year  
of WARBLER 1967  
Bird

Locality  
of COHOE, ALASKA  
Nest

Latitude... 151 ..... Longitude... 61 .....

Altitude... 85 ..... Direction slope faces.....

Nest... 1 ..... ft. above ground or base of cliff.  
in HUMMOCK OF EARTH

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other ROADS TO COHOE POST OFFICE

List abundant plants:

MOSS -

WIRY GRASS

CREeping DUGWOOD.

DWARF BIRCH, POPLAR, WILLOW  
SPRUCE (PICEA. GLOUENS)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub  GRASS

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 5 .....

No. of unhatched eggs..... 0 .....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 5 .....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Orange-crowned Warbler | Year 1961

Locality of Nest Pond near Gasoline Lake  
~~at~~ Tetlin, Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 1650 Direction slope faces

Nest 0 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA** (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

**List abundant plants:**

Aspen,  
Labrador tea, Grass  
Lupine,

**POSITION OF NEST**

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird	ORANGE-CROWNED WARBLER	Year	1971
--------------	------------------------	------	------

Locality of Nest: GOOSE COVE  
GLACIER BAY

Latitude..... Longitude.....

Altitude ~ 75' Direction slope faces ←

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)


Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

WILLOW / ALDER / DRYAS



DRYAS - COVERED BANK

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs.....

Cause of non-hatching of eggs. NEST

DESTROYED

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....





Name	ORANGE-CROWNED	Year	
of			
Bird	WARBLER		1971
Locality	WHITE THUNDER RIDGE		
of			
Nest	GLACIER BAY		

Latitude..... Longitude.....

Altitude <sup>~700'</sup>..... Direction slope faces. S.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

DRYAS HILLSIDE WITH  
SCATTERED ALDER PATCHES  
NEST ON GROUND UNDER  
DRYAS-COVERED ROCK

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....

- 27 4
- 26 2
- 25 1
- 24 7
- 23 4
- 22 2
- 21 1
- 20 7
- 19 4
- 18 2
- 17 1
- 16 7
- 15 4
- 14 2
- 13 1
- 12 7
- 11 4
- 10 2
- 9 1
- 8 7
- 7 4
- 6 2
- 5 1
- 4 7
- 3 4
- 2 2
- 1 1

- 110 2
- 109 1
- 108 7
- 107 4
- 106 2
- 105 1
- 104 7
- 103 4
- 102 2
- 101 1

UNISORT  
 ALASKA NEST RECORD CARD  
 BURROUGHS CORPORATION - TOPEKA, KANSAS DIV. - L

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer DENNIS (OLE) WIK  
GLACIER BAY

**FOR OBSERVATIONS ON ONE NEST**

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
7	JULY	2	0	YES	

**REMARKS: e.g. Birds banded, pertinent weather information, etc.**

*FOUND BY MARYA WIK*

- 309 1
- 308 7
- 307 4
- 306 2
- 305 1
- 304 7
- 303 4
- 302 2
- 301 1

UNISORT

Name ORANGE-CROWNED Year 1971  
of WARBLER

Locality GOOSE LOVE  
of GLACIER BAY  
Nest

Latitude..... Longitude.....

Altitude ~70' Direction slope faces E.....

Nest 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

BENEATH SMALL ALDER  
STEMS IN RELATIVELY  
OPEN SITUATION.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird ORANGE-CROWNED WARBLER Year 1971

Locality of Nest ISTHMUS, GILBERT ISLAND GLACIER BAY

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [ ] Tall brush (4-10') [ ] Shrub (1-4') [ ]

Moist Tundra [ ] Rocky Tundra [ ] Field [ ] Marsh [ ]

Other .....

List abundant plants:

DRYAS ~~FLA~~ SLOPE, IN HOLLOW UNDER STONE,

POSITION OF NEST

- In tree, brush or shrub [ ]
On ground, under tree, brush or shrub [ ]
On ground, not under tree, brush or shrub [x]
On ground, in open on sand or rocks [ ]
On cliff or bank [ ] On floating mat [ ]
On building [ ]

FATE OF NEST

No. of eggs hatched .....
No. of unhatched eggs.....
Cause of non-hatching of eggs.....
No. of chicks that left nest.....
Cause of death of chicks not leaving nest.....





# 5

Name of Bird ORANGE-CROWNED WARBLER Year 1969

Locality of Nest COHOE, ALASKA

Latitude... 61..... Longitude... 151.....

Altitude... 80..... Direction slope faces.....

Nest... 3 *see below*.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

MOSSBERRY  
LINGENBERRY  
WILD ROSE  
MOSS

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub  *PIT IN*
- On ground, not under tree, brush or shrub  *GROUND*
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 4 .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4 .....

Cause of death of chicks not leaving nest.....

.....

110 109 108 107 106 105 104 103 102 101

2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

UNISORT

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer  
**MARY A MILLER**  
**KASLOV. ALASKA**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
28	JUNE	1	3	F	1:05 p.m.
29	JULY		4		11:30 a.m.
11	✓				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301 1 7 4 2 1 7 4 2 1 7 4 2 1

227 226 225 224 223 222 221 220 219 218 217 216 215 214 213 212 211 210 209 208 207 206 205 204 203 202 201

4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

#4

Name of Bird	ORANGG. CROWNER WARBLER	Year	1969
--------------	----------------------------	------	------

Locality of Nest  
COHOE ALASKA

Latitude... 61..... Longitude... 151.....

Altitude... 80..... Direction slope faces.....

Nest..... 1.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

SPAGNUM MOSS  
LABRADOR TEA  
LINGENBERRY

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub  *IN MOSS HUMMOCK*
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 4 .....

No. of unhatched eggs..... 0 .....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 4 .....

Cause of death of chicks not leaving nest.....





# 3

Name of Bird	ORANGE-CROWNED WARBLER	Year	1969
--------------	------------------------	------	------

Locality of Nest  
COHOE, ALASKA

Latitude... 61..... Longitude... 151.....

Altitude... 85..... Direction slope faces.....

Nest... 6".....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

WHITE SPRUCE  
SCRUB PIPPLAR  
CREEPING DOGWOOD  
MOSSES  
LINDENBERRY.

POSITION OF NEST

In tree, brush or shrub   
 On ground, under tree, brush or shrub   
 On ground, not under tree, brush or shrub  IN MOSS HUMMOCK  
 On ground, in open on sand or rocks   
 On cliff or bank  On floating mat   
 On building

FATE OF NEST

No. of eggs hatched ..... 5 .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 2 or 3 .....

Cause of death of chicks not leaving nest.....

UNKNOWN.....



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
ALASKA  
BIOLOGY  
STATION  
CORP  
CORPORATION  
- TODD DIV. - L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **MARY A. MILLER**  
**KASLOF. ALASKA**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
12	JUNE	5		F	8:25 p.m.
17	JUNE		4 <sup>all</sup> 5	F	3:10 p.m.
21	JUNE		4 <sup>all</sup> 5	F	6:30 p.m.
28	✓		2 dead		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT



# 2

Name of Bird ORANGE-CRO WARBLER	Year 1969
---------------------------------------	--------------

Locality of Nest  
COHOE, ALASKA

Latitude.... 61..... Longitude... 157.....

Altitude.... 85..... Direction slope faces.....

Nest.... 8".....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

LABRADOR TEA  
DWARF BIRCH  
MOSS  
FIRGWEGD

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub  *IN MOSS HUMMOCK*
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 4 .....

No. of unhatched eggs..... 1 .....

Cause of non-hatching of eggs. *UNKNOWN* .....

No. of chicks that left nest..... 3 .....

Cause of death of chicks not leaving nest.....

..... *UNKNOWN* .....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
ALASKA  
BIRDS  
CORP.  
STP. FORM  
12  
BIRROU  
PHS  
CORPORATION  
- TODD  
DIV. - L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY A. MILLER  
KASLOF ALASKA

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
12	JUNE	5		F	8:05 p.m.
17	JUNE	1	4	F	2:25 p.m.
21	JUNE		4		6:10 pm
28	JUNE		1 dead		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 2 4 7 1 2 4 7 1

UNISORT

#1

Name of Bird	ORANGE-CROWNED WARBLER	Year	1969
--------------	------------------------	------	------

Locality of Nest: KASLOF, ALASKA.

Latitude... 61..... Longitude... 151.....

Altitude... 100..... Direction slope faces.....

Nest... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

CREEPING DOGWOOD  
 FIREWEED  
 MOSS  
 DWARF BIRCH  
 LINGON BERRY

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 5 .....

No. of unhatched eggs..... 1 .....

Cause of non-hatching of eggs... UNKNOWN? .....

.....

No. of chicks that left nest..... 5 .....

Cause of death of chicks not leaving nest.....

.....





Name Vermivora Year \_\_\_\_\_  
of colata  
Bird \_\_\_\_\_

Locality \_\_\_\_\_  
of College  
Nest \_\_\_\_\_

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Orange-cr. Warbler Year 1977

Locality of Nest Mixed Birch-White Spruce plot

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 1900 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Paper Birch  
White Spruce  
Rosa acicularis  
Calamagrostis

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

**ORANGE-CROWNED WARBLER**

**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska

Name and address of observer: **Michael A. Spindler**  
**University of AK Museum**  
**Fairbanks**

**FOR OBSERVATIONS ON ONE NEST**

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
6	JUN	4		yes ♀	
15	JUN		4	yes ♀	
27	JUN	Young fledged			

**REMARKS: e.g. Birds banded, pertinent weather information, etc.**

ground) under Viburnum edule  
 bush in grass clump, open  
 Paper Birch-White Spruce  
 forest  
 NORTHWAY

309 308 307 306 305 304 303 302 301  
 1 2 4 7 1 2 4 7 1

Name of Bird Orange-cr. Warbler Year 1977

Locality of Nest Aspen plot, MI 127A Alaska Highway, Northway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 1800 Direction slope faces S

Nest ○ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Populus tremuloides

Elymus canadensis

Vaccinium vitis-idaea

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANALYSIS CARD

# ORANGE CR-WARBLER

## ALASKA NEST RECORD CARD University of Alaska, College, Alaska

Name and address of observer *Michael A. Spindler  
Univ of Ak Museum  
Fairbanks, AK*

### FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
9	JUL	3		yes ♀	

**REMARKS:** e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

# 2

Name of Bird ORANGE-CR. WARBLER

Year 1965

Locality of Nest COHOE

Latitude... 60..... Longitude... 151.....

Altitude... 90..... Direction slope faces.....

Nest... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

MOSS  
LINGON BERRY  
FIREWED.  
CREEPING dog wood  
DWARF willow., birch  
SPRUCE (white)

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched ..... 5 .....

No. of unhatched eggs..... 1 .....

Cause of non-hatching of eggs... infertile .....

No. of chicks that left nest..... 5 .....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

1965

UNISORT  
 ANILLES CARD

### ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **MARY. A SMITH**  
**COHOE. ALASKA**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
27	JUNE	6		F	6:15 AM
3	JULY*	1	5	F	10:40 AM
7	"	1	5		11:40 AM
11	"	1			

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
 \* young hatching on.  
 JULY 3  
 JULY 11 - YOUNG IN VICINITY

309 308 307 306 305 304 303 302 301  
 1 2 4 7 1 2 4 7 1

UNISORT  
 27 4 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 6 2 5 1 4 7 3 4 2 2 1



# 3

Name of Bird	ORANGE-CROWNED WARBLER	Year	1966
--------------	------------------------	------	------

Locality of Nest  
COHOE, ALASKA

Latitude... 60..... Longitude... 151.....

Altitude... 100..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

GRASSES  
SPAGNUM  
SPRUCE  
SALIX (Sp)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub  UNDER CLUMP OF GRASS

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 6 .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 6 .....

Cause of death of chicks not leaving nest.....

.....



Orange Crowned Warbler

Name of Bird Vermivora celata Year 1968

Locality of Nest Glacier Bay Natl. Monument. Creek, 1/4 mile S. of Goose Cove.

Latitude 58° 57' N Longitude 136° 06' W

Altitude 25' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other Glacial outwash, closed

List abundant plants: Aryas mat to open alder stage. Nest under rock in steep, Aryas stabilized stream bank, 25 feet from closed alder border of stream. Near top of 4 foot bank of stream cut bench. Grass lined cup well hidden.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under ~~tree, brush or shrub~~ <sup>rock covered by Aryas down</sup>
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs Added

No. of chicks that left nest 4

Cause of death of chicks not leaving nest —



