

61

Name of Bird W.C. Sparrow | Year 1960

Locality of Nest Experimental Farm

Latitude 65°N Longitude 148°W

Altitude 500' Direction slope faces North

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Willow
Alder
W. Birch
Aspen
B. Poplar

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs 5

Cause of non-hatching of eggs Predation

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

J9



Name of Bird W.C. Sparrow Year 1960

Locality of Nest Experimental Farm

Latitude 65°N Longitude 148°W

Altitude 500' Direction slope faces North

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
- Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

- Willow
- Alder
- aspen
- White birch
- B. Poplar

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs Probably infertile

No. of chicks that left nest 0

Cause of death of chicks not leaving

Nest Most likely a predator

Name of Bird Zonotrichia leucophrys Year 1960

Locality of Nest 1/2 mile south of Eagle Creek Camp, mile 105 Steese

Camp hill, 50 yds from road #2

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces northwest

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Alder, dwarf birch, Ledum,

moss, grass

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

J

Eagle Cr., Ak., Mi. 105 Steese Hwy

Name of Bird	White-Crowned Sparrow	Year	1968
--------------	-----------------------	------	------

Locality North Running Brook
of East side in spruce grove.
Nest

Latitude 65° 26' N... Longitude 145° 26' W.

Altitude @ 3000'... Direction slope faces West.

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Note: This is an isolated grove - not
Other continuous with like forest.

List abundant plants:

Spruce
Willow

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs
- Cause of non-hatching of eggs
-
- No. of chicks that left nest
- Cause of death of chicks not leaving nest
-

Name of Bird Zonotrichia leucophrys | Year 1960

Locality of Nest 1 1/2 miles east of Eagle Creek Camp, mile 105 Steese Highway
Pretty Gully

Latitude _____ Longitude _____

Altitude 3400 Direction slope faces south

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Spruce, dwarf birch,
Rhododendron lapponicum
Blueberry, Ledum, Pedicularis
Moss, grasses

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

MIDDLE OF WEST BRANCH
OF MILLER FORK. ✓

Name of Bird WHITE CROWN SPARROW. Year 1961

Locality of Nest MILE 106 STEESE HIGHWAY ALASKA.

Latitude _____ Longitude _____

Altitude 3400' Direction slope faces S.

Nest ○ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants: DARWF BIRCH, SEDGE, MOSS, GRASS, LICHEN

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Eagle Cr., AK, Mi. 105 Steese Hwy.

Name of Bird *White-crowned Sparrow*

Year *1968*

Locality of Nest *Approx. 150 yds. uphill from Fk. in Cripple Creek.*

Latitude *65°26'N* Longitude *145°26'W*

Altitude *2900'* Direction slope faces *NE*

Nest *0* ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

grass
dwarf birch

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird WHITE ~~CROWNED~~ SPARROW Year 1963

Locality of Nest NEAR CREAMER'S FIELD

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
WILLOW

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs -

Cause of non-hatching of eggs -

No. of chicks that left nest 4

Cause of death of chicks not leaving nest.....

Name of Bird WHITE CROWNED SPARROW Year 1963

Locality of Nest FAIRBANKS CITY

Latitude _____ Longitude _____

Altitude 400 Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

WILD ROSES
BIRCH TREES
SPRUCE TREES

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 3

Cause of death of chicks not leaving nest LACK

OF FOOD

Mastodon FK across stream
2nd Boiler

Name of Bird White-crowned Sparrow Year 1969

Locality of Nest Eagle creek
Mi 104 Stease

Latitude..... Longitude.....

Altitude 3300 Direction slope faces West
But little
Nest on ground ft. above ground or base of cliff slope

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Aspen & grass
on tailings

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5.....

No. of unhatched eggs 0.....

Cause of non-hatching of eggs.....

No. of chicks that left nest 5.....

Cause of death of chicks not leaving nest.....

~~Willow, blueberry,~~
Below lower ditch 200 yds. in
cripple creek drainage

Name of Bird: White Crowned Sparrow
Year: 1969

Locality of Nest: Eagle creek
mi. 105 steeze

Latitude..... Longitude.....

Altitude: 3200 Direction slope faces: NW

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow, blueberry, Ledum

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub Blueberry

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

head of Bales Creek by stream # 3

Name of Bird	White-crowned Sparrow	Year	1969
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steers

Latitude..... Longitude.....

Altitude 3500..... Direction slope faces S.....

Nest 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, grass, dwarf birch,
moss

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub *willow*

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Center Hill just above
ditch.

Name of Bird	White-crowned Sparrow	Year	1969
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude..... Longitude.....

Altitude. 2900..... Direction slope faces. W.....

Nest. 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, lichen, spruce,
alder, blueberry.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

trail at base of Blueberry Point

Name of Bird White-crowned Sparrow Year 1969

Locality of Nest Eagle Cr. mile 105 Steese

Latitude..... Longitude.....

Altitude 2700 Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, Ledum, willow, blueberry, cranberry

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Shallow ditch near upper
ford.

Name of Bird	White-crowned Sparrow	Year	1969
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Ht.

Latitude..... Longitude.....

Altitude... 2700... Direction slope faces... N.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, birch, Ledum,
grass, moss.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub willow

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

40 yds up ditch from tent

Name of Bird	White crowned Sparrow	Year	1969
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude..... Longitude.....

Altitude... 2700... Direction slope faces... N.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, grass
dwarf birch

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub willow

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

#10 Center Hill W face

Name of Bird	White-crowned Sparrow	Year	1966
--------------	-----------------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese H.
------------------	-----------------------------------

Latitude..... Longitude.....

Altitude 2900... Direction slope faces (W)....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, blueberry.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub dwarf birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs..... ?

Cause of non-hatching of eggs.....

No. of chicks that left nest..... none

Cause of death of chicks not leaving nest.....

..... predation.....

Name of Bird *Wh cr. sparrow* | Year *1962*

Locality of Nest *Camp Derali*

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

willow
dwarf birch
scattered spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Above Bates cr. on Road ridge.

Name <i>White crown</i>	Year
of Bird <i>sparrow</i>	<i>1965</i>

Locality *Eagle Creek Area*
of
Nest *mile 105 Steese Hwy.*

Latitude..... Longitude.....

Altitude. *3,400'* Direction slope faces. *N.W.*

Nest.....*0*.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Betula, Moss, Salix

POSITION OF NEST

under shrub

In tree, brush or shrub

Birch.

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Above penstock ditch.

~~#2~~
#3

Name of Bird	White-crowned Sparrow	Year	1965
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2750..... Direction slope faces... NNW

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

elder, dwarf birch, small willows, tussock sedge.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

side of tussock under tiny birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

WHITE-CROWNED SPARROW

Name *Zonotrichia* of *leucophrys gambelii* Year 1968

Locality IN WOODS NE. OF SHEEP CREEK RD. of AND ~.5 MILE FROM LAKE Nest KILLARNEY; COLLEGE, ALASKA AREA

Latitude ~64° 52' Longitude ~147° 54'

Altitude Direction slope faces NO SLOPE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [x] Tall brush (4-10') [x] Shrub (1-4') []

Moist Tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub []
On ground, under tree, brush or shrub [x]
On ground, not under tree, brush or shrub []
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs 1?
Cause of non-hatching of eggs ?

No. of chicks that left nest ? (PROBABLY 0, ALTHO TERRITORIAL MALE NOT SHOT)
Cause of death of chicks not leaving nest. IF FAIL TO LEAVE NEST, WILL BE BECAUSE NOT FED BY THE MALE (FEMALE SACRIFICED AS PART OF FIELD SAMPLE ON 18 JUNE 1968)

9 below ditch near Cripple
near Varied thrush

Name White-crowned Year 1966
of Sparrow

Locality Eagle Creek
of mile 105 Steese H.

Latitude..... Longitude.....

Altitude 2850 Direction slope faces NW

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Alder, dwarf birch, grass,
moss, blueberry, low spruce.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5.....

No. of unhatched eggs —.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

#12 just W of Judy's plot, low on hill.

Name of Bird	White-crowned Sparrow	Year	1966
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
 mile 105 Steese H.

Latitude..... Longitude.....

Altitude...2750... Direction slope faces...N....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

scrubby spruce, grass,
Ledum, blueberry, willow

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub ^{low} spruce
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

Name of Bird WHITE CROWNED SPARROW | Year 1961

Locality of Nest CAMP DENALI IN THE KANTISHNA

Latitude 63° 31' Longitude 150° 54'

Altitude 2100' Direction slope faces WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

BETULA GLANDULOSA
VACCINIUM ULIGINOSUM

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

#8 North-running Brook
Bully running W

Name of Bird	White-crowned sparrow	Year	1966
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude 3500..... Direction slope faces..... NW

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

low dwarf birch, Cassiope,
blueberry, cranberry. Grass.
Base of small solifluction lobe

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird Zonotrichia leucophrys | Year 1960

Locality 1 mile northwest of Eagle
Nest Creek camp, mile 105 Steese

Latitude _____ Longitude _____

Altitude 3100 Direction slope faces flat - south

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
- Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Blueberry
dwarf birch, stunted willows
and spruce
Grass, moss, etc.

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Zonotrichia leucophrys Year 1960

Locality of Nest 1 1/2 mile northeast of Eagle Creek camp, mile 105 Steese

Latitude _____ Longitude _____

Altitude 3400 Direction slope faces south

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Spruce (stunted)
dwarf birch & willow
Blueberry
Sedges, Lignum, Crowberry

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird WHITE CROWNED SPARROW | Year 1961

Locality of Nest CAMP DENALI IN THE KANTISHNA

Latitude 63° 31' Longitude 150° 54'

Altitude 3100' Direction slope faces SOUTH WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

BETULA GLANDULOSA
VACCINIUM UGLINOS

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs _____

No. of chicks that left nest 0

Cause of death of chicks not leaving nest _____

DROGGED OUT OF NEST BY DOG

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *NANCY J. LANGE
 Box 768 COLLEGE*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
30	5	5	0	F	1 PM
31	5	5	0	F	8 AM
1	6	5	0	F	9:30 AM
2	6	5	0	F	7 PM
4	6	5	0	F	2 PM
5	6	5	0	F	8 AM
6	6	5	0	F	5 PM
7	6	5	0	F	8 AM
8	6	5	0	F	Noon
11	6	0	5	No	9 AM
14	6	0	5	No	Noon
15	6	0	5	No	Noon
16	6	0	4 ALIVE 1 DEAD	No	Noon
16	6	0	0	No	10 PM

REMARKS: e.g. Birds banded, pertinent weather information, etc.

NE OF NUGGET POND

** DOG DRAGGED ALL 5 OUT OF NEST - 1 DEAD, OTHERS MUTILATED (3 SAVED PERHAPS)
 A REVISITED BY DOG; ALL DEAD*

309 308 307 306 305 304 303 302 301

1 7 4 2 1 7 4 2 1

UNISORT

WHITE-CROWNED SPARROW

Name of Bird	Zonotrichia leucophrys gambelii	Year	1968
--------------	---------------------------------	------	------

Locality of Nest MUSKEG-SPLUCE FIELD ON SW. SIDE OF FAIRBANKS NENANA RD. OPPOSITE U. OF A. EXPERIMENT STATION

Latitude ~64° 51' Longitude ~147° 52'

Altitude Direction slope faces NO SLOPE

Nest ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs —

No. of chicks that left nest 0

Cause of death of chicks not leaving nest. MOTHER EITHER DESERTED NEST OR WAS KILLED — YOU DEAD IN NEST ON 17 JUNE

WHITE-CROWNED SPARROW

Name of Bird	Zonotrichia leucophrys gambelii	Year	1968
--------------	---------------------------------	------	------

Locality of Nest MOSKOG-SPRUCE FIELD ON SW. SIDE OF FAIRBANKS NEENANA RD. OPPOSITE U. OF A. EXPERIMENT STATION

Latitude... 64° 51' Longitude... 147° 52'

Altitude..... Direction slope faces. NO SLOPE

Nest..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs..... 0

Cause of non-hatching of eggs.....

No. of chicks that left nest. ? (NOT PRESENT TO OBSERVE FLEDGING)

Cause of death of chicks not leaving nest.....

104-3 50 uphill from rd.

Name of Bird	White-crowned Sparrow	Year	1967
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3300... Direction slope faces... SW.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: dwarf birch

{
Lichen, blueberry

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch-
ledum

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

150' SW of Spur Rd. near top

Name of Bird	White-crowned Sparrow	Year	1967
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude...3200... Direction slope faces...SW...

Nest.....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: dwarf birch, willow, blueberry, moss.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub birch
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

Castle Brook E side

Name of Bird White-crowned Sparrow Year 1967

Locality of Nest Eagle Creek mile 105 Steese

Latitude..... Longitude.....

Altitude... 3300... Direction slope faces. S.W..

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') [x]

Moist Tundra [x] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

Dwarf birch, grass, moss, heaths, scattered low willows Cassiope

POSITION OF NEST

In tree, brush or shrub []

On ground, under tree, brush or shrub [x] birch - grass

On ground, not under tree, brush or shrub []

On ground, in open on sand or rocks []

On cliff or bank [] On floating mat []

On building []

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Pretty Gully

Name of Bird	White-crowned Sparrow	Year	1967
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3100... Direction slope faces... S.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Scattered stunted spruce,
moist mossy-sedge-heath

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub sedge - birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

E branch Miller Fk.

Name White-crowned Year
of Sparrow 1967
Bird

Locality Eagle Creek
of mile 105 Steese
Nest

Latitude..... Longitude.....
Altitude 3200 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, dryas

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub dwarf birch
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched
No. of unhatched eggs.....
Cause of non-hatching of eggs.....
.....
No. of chicks that left nest.....
Cause of death of chicks not leaving nest.....
.....

by R2-56 (penstock ditch near Cripple)

Name of Bird White-crowned Sparrow Year 1967

Locality of Nest Eagle Creek mile 105 Steese

Latitude..... Longitude.....

Altitude 2700..... Direction slope faces N.....

Nest 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: Alder, dwarf birch, grass

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

Just above lower ditch

100 yds E of penstock

Name of Bird	White-crowned Sparrow	Year	1967
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude..... Longitude.....

Altitude... 2800... Direction slope faces... N.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: Willow,

dwarf birch, Labrador tea,
moss, lichen

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

20' W of Bakes, 300 yds above
2nd Gulch Jet.

Name of Bird White-crowned Sparrow | Year 1967

Locality of Nest Eagle Cr.
mile 105 Steese

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces SE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Ledum, willow, sedge

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub willow, Lab. tea
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

West face Center Hill

Name of Bird	White-crowned Sparrow	Year	1967
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude..... Longitude.....

Altitude. ~~2000~~³¹⁰⁰..... Direction slope faces. ^W.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Ledum, birch (8" tall)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Apple West-running Brook near stream

Name of Bird White-crowned Sparrow Year 1968

Locality of Nest Eagle Creek mile 105 Steese

Latitude..... Longitude.....

Altitude 3400 Direction slope faces SSW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') [x]

Moist Tundra [x] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

birch, scattered spruce, blueberry, sedge, willow.

POSITION OF NEST

- In tree, brush or shrub []
On ground, under tree, brush or shrub [x] dwarf birch
On ground, not under tree, brush or shrub []
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched
No. of unhatched eggs.....
Cause of non-hatching of eggs.....
No. of chicks that left nest.....
Cause of death of chicks not leaving nest.....

east of Bates Creek

Name of Bird White-crowned Sparrow | Year 1967

Locality of Nest Eagle Creek mile 105 Steeple H.

Latitude _____ Longitude _____

Altitude 3200 Direction slope faces SW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Birch, willow, grass
On edge of solifluction lobe

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub Birch.
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2nd Gulch

Name of Bird White-crowned Sparrow | Year 1967

Locality of Nest Eagle Creek
mile 105 Steese

Latitude _____ Longitude _____

Altitude 3200' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Low dwarf birch.

Crowberry, sedge, Loiseleuria

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub dwarf birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs ?

No. of chicks that left nest 3

Cause of death of chicks not leaving nest _____

behind tent

Name of Bird	White-crowned Sparrow	Year	1967
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese.

Latitude..... Longitude.....

Altitude. 2750..... Direction slope faces... N.....

Nest.....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

moss, cranberry, Ledum,
grass, crowberry, Betula.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird White crowned sparrow Year 1967

Locality of Nest u/Moody

Latitude 63°48'N Longitude 148°56'W

Altitude..... Direction slope faces.....

Nest.....⁰ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

under dwarf birds in rather wet alpine tundra

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs. 3

Cause of non-hatching of eggs... prob!

robbed by weasel

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird White Crowned Sparrow | Year 1961

Locality of Nest E. Shore of Tetlin Lake near Tetlin, ALASKA

Latitude _____ Longitude _____

Altitude 1650 Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: Spruce, Epilobium, Grass, Equisetum

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Slope facing east onto
Lower Gripple Cr.

Name Zonotrichia Year 1961
of leucophrys

Locality
of Nest Eagle Creek, Steese H.

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces east

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarfed birch
Dryas, Cassiope, grass,
Anemone

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird White-crowned Sparrow Year 1961

Locality of Nest Island on Merganser Lake, Tetlin, Alaska

Latitude _____ Longitude _____

Altitude 1650 Direction slope faces —

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Rosa sp. Lupinus
Spruce Grass

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest _____
Cause of death of chicks not leaving nest _____

Jct Mastodon x Eagle Forks

Name of Bird White-crowned Sparrow | Year 1963

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces W

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

dwarf birch, lichen,
cranberry, crowberry

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub under birch
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 5
No. of unhatched eggs 0
Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Zonotrichia leucophrys Year 1960

Locality of Nest 1/2 mile S-S.W. from Eagle Creek camp, mile 105 Steese

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces NW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Sedge - willow tussocks
Eriophorum
Betula nana.

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On ground, side of tussock

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name of Bird Zonotrichia leucophrys Year 1960

Locality of Nest 1 mile west of mile 106.5 Steese Highway

Latitude _____ Longitude _____

Altitude 3200 Direction slope faces east

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Blueberry
Petasites
Willow
Birch
Grass

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Zonotrichia leucophrys Year 1960

Locality of Nest 1 mile east of Eagle Creek Camp, mile 105 Steese H. (near 8th #4)

Latitude _____ Longitude _____

Altitude 3050 Direction slope faces north

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
- Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarf birch
stunted spruce

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird white-crowned sparrow | Year 1960

Locality of Nest Eagle Creek, Mile 105 Steese Hiway, Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name of Bird white-crowned sparrow | Year 1960

Locality of Nest _____

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name Gambel's Year 18 June
of Bird White-crowned sparrow 1960

Locality On Wildlife Unit have plot on
of Ballaine Road North of College
Nest

Latitude 64° 51' N Longitude 147° 48' W

Altitude _____ Direction slope faces slightly EAST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants: Willow, Ledum,
some Black spruce, small
Paper birch.

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 0

Cause of death of chicks not leaving

Nest ? chicks gone, but no
sign of violence!

West-running Brook
nest

Name of Bird White-crowned Sparrow | Year 1967

Locality of Nest Eagle Creek
Mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 3400 Direction slope faces W

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

willow, birch, shrubby
Potentilla, blueberry, grass
very moist area

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub under low willow
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Upper Cripple

✱

Name of Bird White-crowned Sparrow | Year 1964

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 3200 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Dwarf birch, blueberry,
Dryas, Cassiope

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub *under birch bush*
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

E branch Miller Fk

2

high on S-facing slope

Name of Bird	White-crowned Sparrow	Year	1964
--------------	-----------------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese H.
------------------	-----------------------------------

Latitude _____ Longitude _____

Altitude 3500 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

~~low~~ blueberry, shrubby

Potentilla, willow, grass in
small moist ~~area~~ on dry
tundra slope

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub ^{under} blueberry

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Bates, W side at head. 3

Name of Bird White-crowned Sparrow | Year 1964

Locality of Nest Eagle Creek
mile 105 Steese

Latitude _____ Longitude _____

Altitude 3300 Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Blueberry, grass, moss,
willow, scrub birch

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub under blueberry +

On ground, not under tree, brush or shrub birch

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

F19

12

Name of Bird	White-crowned Sparrow	Year	1968
--------------	-----------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude...2700... Direction slope faces...N...

Nest.....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, alder, grass, lichens,
blueberry, Labrador tea

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub *partly dead willow*

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched ... 5

No. of unhatched eggs... —

Cause of non-hatching of eggs... —

No. of chicks that left nest... 5

Cause of death of chicks not leaving nest.....

Across creek from camp
(#1 - higher)

Name of Bird White-crowned Sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2700 Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarfed birch, Labrador tea, moss, blueberry

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 0

Cause of non-hatching of eggs ?

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

South Hill east of Bully. #2
W of wetters

Name of Bird	White-crowned Sparrow	Year	1965
--------------	-----------------------	------	------

Locality of Nest Eagle Creek, mile 105
Steese Highway

Latitude..... Longitude.....
Altitude... 2950... Direction slope faces... N.....
Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist Tundra Rocky Tundra Field Marsh
Other

List abundant plants:

Willow, dwarf birch, alder,
sphagnum, blueberry

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub ^{under} small alder
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

upper fork mastodon
clacker area

7

Name of Bird White-crowned Sparrow | Year 1964

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 3450 Direction slope faces SW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Dwarf birch, Cassiope,
moss, lichen, cranberry

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub under low birch

On ground, not under tree, brush or shrub brush

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird White-crowned Sp. | Year 1952

Locality of Nest Smith lake
College, Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

in tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name of Bird Zonotrichia leucophrys Year 1960

Locality of Nest 1 1/4 mile east of Eagle Cr. Camp, mile 105 Steese (Castle Brock, head)

Latitude _____ Longitude _____

Altitude 3400 Direction slope faces east

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarf birch
Moss
Cranberry
Willow
Anemone

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Zonotrichia leucophrys | Year 1960

Locality of Nest 1/2 mile south - southeast of Eagle Creek camp, mile 105 Steese (100 yds ~~west~~ above pt. west #3)

Latitude _____ Longitude _____

Altitude 3150 Direction slope faces north

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Blueberry

Alder

Willow

Birch

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird WHITE-CROWN SPARROW | Year 1961

Locality of Nest MILE 105 STEESE HIGHWAY ALASKA

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces SOUTH

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants: ALDER, WILLOW
DARWIN BIRCH, GRASSES
SEDGE.

POSITION OF NEST

- In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird White-crowned Sparrow Year 1964

Locality of Nest near College, Alaska

Latitude ~65°55' Longitude ~148°50'

Altitude ~500' Direction slope faces none

Nest none ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other Second-growth willow

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 5

Cause of non-hatching of eggs.....

No. of chicks that left nest Unknown

Cause of death of chicks not leaving nest.....

Centershill off camp rd.

Name of Bird White-Crowned Sparrow Year 1964

Locality of Nest Eagle Creek, Mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces west

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Betula sp

Salix sp

Picea sp

sphagnum moss

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

across from camp

Name of Bird White-crowned Sparrow | Year 1964

Locality of Nest Eagle Creek, Mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2700' Direction slope faces South

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Salix
grasses
dwarf birch

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

south hill directly behind camp.

Name of Bird White-crowned Sparrow Year 1964

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3100 Direction slope faces... North

Nest... 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

blueberry
dwarf birch
alder
Salix sp.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub blueberry

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

upper spur (low)

Name of Bird White Crowned Sparrow | Year 1964

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces n.w.

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

dwarf birch
Salix sp.
grasses
blueberries

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

North of Blueberry Point

Name of Bird White-crowned Sparrow | Year 1964

Locality of Nest Eagle Creek, Mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces se.

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

grasses
dwarf birch
Salix

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name WHITE-CROWNED Year 1964
of SPARROW
Bird

Locality near College,
of Alaska
Nest

Latitude ~65°55' Longitude ~148°50'

Altitude ~500' Direction slope faces none

Nest noneft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs..... 0

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... Unknown

Cause of death of chicks not leaving nest.....

.....

upper end spur road

Name of Bird White-crowned Sparrow | Year 1964

Locality of Nest Eagle Creek, Mile 105 Steese Highway

Latitude _____ Longitude _____

x Altitude 2900 Direction slope faces south

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Betula sp
Salix sp
grasses

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Lower Macdonald Fork

Name of Bird White-crowned Sparrow Year 1964

Locality of Nest Eagle Creek, Mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3000 Direction slope faces. north

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch
Salix sp.
Sphagnum moss

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

near ford

Name of Bird white-crowned sparrow | Year 1964

Locality of Nest Eagle Creek, Mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2750 Direction slope faces nw

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Salix
grasses
dwarf birch
sphagnum moss

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4 (assumed)
No. of unhatched eggs 1 "1"
Cause of non-hatching of eggs ?

No. of chicks that left nest 4

Cause of death of chicks not leaving nest ?

Name WHITE-CROWNED
of SPARROW Year 1964
Bird

Locality near College,
of Alaska
Nest

Latitude ~65°55' Longitude ~148°50'

Altitude ~500' Direction slope faces None

Nest None . . . ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other Edge of RR roadbed

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 1

Cause of non-hatching of eggs Infertile

No. of chicks that left nest Unknown

Cause of death of chicks not leaving nest

Name WHITE-CROWNED
of SPARROW Year 1964
Bird

Locality near College,
of Alaska
Nest

Latitude ~65° 55' Longitude ~148° 50'

Altitude ~500' Direction slope faces None

Nest Noneft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs..... 0

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... Unknown

Cause of death of chicks not leaving nest.....

.....

